

Service

Equipment

Parts

RESOURCE



Tire Changer

Jaws • Clamping Kits

TC113125C 3 Position Extended X-Clamp Kit For Coats X-Models With Adjustable Carriers. External (Outside / In) Wheel Clamping 6" - 22" Wheels

Kit Includes: TC 182250 Position Push Buttons (4 Pcs)
TC 184126 3 Position X-Clamp (4 Pcs)

| O.E.M. | Part Number | Tire Changer |
|--------|-------------|-----------------|
| Coats | 113125C | 50X • 60X • 70X |

TC181677 Rim Clamp / Jaw For Coats Tire Changers

| O.E.M. | Part Number | Tire Changer |
|--------|-------------|----------------------------------|
| Coats | 181677 | 5030 • 5050 • 5060 • 5065 • 5070 |

TC184327 24" X-Out Clamp Kit For Clamping 23" And 24" Alloy Wheels. 13" - 24" Range. 2 Position Clamps. Outside Clamping Only.

Kit Includes: TC 184268 24" X-Out Clamps (4 Pcs)
TC 182250 Position Push Buttons (4 Pcs)
TC 183604 Quilted Clamp Socks (10 Pcs)

| O.E.M. | Part Number | Tire Changer |
|--------|-------------|-----------------|
| Coats | 184327 | 50X • 60X • 70X |

TC183604 Quilted Clamp Sock For Jaws And Coats Rim Clamp Tire Changers (10 Pack)

| O.E.M. | Part Number | Tire Changer |
|--------|-------------|-----------------------------------------|
| Coats | 183604 | All Tire Changers Except 9010 And 9024E |




Combo And Bead Lift Tools

CT768 Combo Tool Specifically Designed To Mount And Demount Tires

| O.E.M. | Part Number | Tire Changer |
|--------|-------------|------------------|
| Coats | 000768 | 4040 • 4050 |
| Hunter | RP6-1828 | TC 150 • TC 2000 |

TI30 Large White Demount Bootie Protector For Demount End Of CT768 Combo Tool

TI55 Small White Mount Bootie Protector For Mount End Of CT768 Combo Tool



Add Service Parts To Your Growth Potential



TMR The Main Resource
7135 16th Street East Suite 124 • Sarasota • Florida • 34243
800-888-7751 • 888-351-7751 Fax
www.themainresource.com • email:sales@themainresource.com

Tire Changer


Mount / Demount Duckheads

800-888-7751 Fax 888-351-3987

| | | | |
|-----------------|--------------------------------------------------|-------------------------|--|
| TC0343-6 | Nylon Mount And Demount Duckhead (6 Pack) | | |
| O.E.M. | Part Number | Tire Changer | |
| Hunter | RP6 0343B | TC 250 • TC 300 • TC325 | |
| Accuturn | SM102529 | All Models Except 220A | |



| | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----------------------------------|--|
| TC183061 | Nylon Mount / Demount Duckhead Kit With Tapered Hole | | |
| Use With Tapered Shaft 182767 Or 182812. | | | |
| Note: Earlier 5060 Models Have A Different Vertical Bar, Change Vertical Bar In Order To Use TC 183061. If Vertical Bar Is Not Changed Use TC 250309 Duckhead Kit. | | | |
| O.E.M. | Part Number | Tire Changer | |
| Coats | 183061 | 5030 • 5040 • 5050 • 5060 • 5065 | |
| | | 6050 • 6060 • 6065 • 7050 • 7055 | |
| | | 7060 • 7065 • 7655 • 7660 • 7665 | |



| | | | |
|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|----------------------------------------------|--|
| TC250309 | Nylon Mount / Demount Duckhead Kit With Round Hole | | |
| Not For Use On Hofmann 1550, 1620 And 1625. | | | |
| Note: For All Tool, Cemb And Giuliano Lift The Hexagon Shaft Out And Turn 180° And Replace Shaft. | | | |
| O.E.M. | Part Number | Tire Changer | |
| All Tool | G2008401 | All Models | |
| Coats | 2008402 | 9010 • 9024 | |
| Corghy | 250309 | All Models | |
| Hofmann | 2200981 | All Earlier Models Except 1550 • 1620 • 1625 | |



| | | | |
|--------------------------------------------------|-------------------------------------------------------|----------------------------------------------|--|
| TC450310 | Nylon Mount / Demount Duckhead With Round Hole | | |
| For TC 250309 Duckhead Kit. <i>Duckhead Only</i> | | | |
| O.E.M. | Part Number | Tire Changer | |
| All Tool | G3008403 | All Models | |
| Coats | 3008403 | 9010 • 9024 | |
| Corghy | 450310 | All Models | |
| Hofmann | 2200981 | All Earlier Models Except 1550 • 1620 • 1625 | |
| Hunter | RP11-8314813 | TCX Series | |



| | | | |
|--------------------|-----------------------------------------|---------------------------------|--|
| TC 14024784 | Nylon Mount/Demount Duckhead Kit | | |
| O.E.M. | Part Number | Tire Changer | |
| Accuturn | 14024784 | 3602 • 3602HP • 4260 • 4560MR | |
| | | 4602 • 5602 • 5602 HP | |
| Hofmann | 4024784 | 1520 • 1565 • 1620 • 1625 • | |
| | | 1625EM • 3300 • 3300EM | |
| John Bean | EAA 0247G19A | EHP System IVE • IV • III • IIE | |
| Snap On | EAA 0247G19A | All Models | |



| | | | |
|--------------------|----------------------------------------------------------------------------------------|---------------------------------|--|
| TC 20024335 | Nylon Mount/Demount Duckhead For TC 14024784 Duckhead Kit. <i>Duckhead Only</i> | | |
| O.E.M. | Part Number | Tire Changer | |
| Accuturn | 20024335 | 3602 • 3602HP • 4260 • 4560MR | |
| | | 4602 • 5602 • 5602 HP | |
| Hofmann | 024335 | 1520 • 1565 • 1620 • 1625 • | |
| | | 1625EM • 3300 • 3300EM | |
| John Bean | EAA 0247G20A | EHP System IVE • IV • III • IIE | |
| Snap On | EAA 0247G20A | All Models | |



Stainless Steel Duckhead Inserts

| | | | |
|------------------------|--------------------------------------------|--------------------------------------|--|
| TI182961 (2pk) | Plastic Insert For TC 182788 And | | |
| TI182963 (12pk) | TC 183429 Stainless Steel Duckheads | | |
| O.E.M. | Part Number | Tire Changer | |
| Coats | 182961 / 182963 | RC 1 • 5 • 10 • 15 • 20 • Early 5060 | |



Add Service Parts To Your Growth Potential



Tire Changer

800-888-7751 Fax 888-351-3987

Air Chucks/ Hose Assembly

EC410419 **Open End Barbed Style European Air Chuck**
Serrated Shank For 1/4" I.D. Hose



HA106871 **Inflator Hose Assembly With Open End Barbed Style Euro Chuck - 60" Long**
All Brass Connectors (1/4" I.D. - 19 BSP) Hose Includes Euro Chuck

O.E.M. Part Number
Coats 106871



Tire Lube Supplies

TI35 **Long Tire Swab (14 1/2")** Used To Lubricate Tire Beads When
Removing Or Mounting Tires On Rims. Extra Long For Truck Tire

O.E.M. Part Number
Coats 120366



TI50 **Standard Short Tire Swab (11 1/2")** Used To Lubricate Tire Beads
When Removing Or Mounting Tires On Rims.

O.E.M. Part Number
Coats 491



LB106259 **Lube Bucket For Tire Changers (Straight)**
O.E.M. Part Number Tire Changer
Coats 106259 RC 15 • 20 • 5060 • 5070



LB106572 **Lube Bucket For Tire Changers (Angled)**
O.E.M. Part Number Tire Changer
Coats 106572 4040 • 4040SA • 4050

Wheel Balancer Accessories

TI33 **Premium Wheel Weight Hammer With Replaceable Nylon Cap**
O.E.M. Part Number
Coats 113175



TI36 **Premium Wheel Weight Hammer**
O.E.M. Part Number
Hunter 221-589-2



WB309011 **Wheel Caliper For Wheel Balancers.**
Measures Wheel Width In 1/2" And 1" Increments
O.E.M. Part Number
Coats 309011
Hunter 221563-1



Tire Repair Tools

TI65 **U.S. Made TV-2 Screwdriver Valve Core Tool For Inserting And Removing**
Valve Cores. Safety Grip Black And Red Screwdriver Handle.



TI 73 **Heavy Duty Poly Valve Stem Inserting Lever / Valve Installation Tool**
Installs Tire Valves Without Scratching The Rim.
(Screw On Type) Red



TI76 **Poly Valve Stem Inserting Lever / Valve Installation Tool**
Installs Tire Valves Without Scratching The Rim.
(Screw On Type) Green



TI77 **Carbon Steel Valve Stem Puller Tool**
Nickel Chrome Plated To Resist Erosion (Screw On Type)



Add Service Parts To Your Growth Potential



Brake Lathe

800-888-7751 Fax 888-351-3987

Carbide Bits

| | | | |
|------------------|---------------------------------------------------------------------|---------------------------|--|
| CB69 | Round Positive Rake Carbide Bit | | |
| O.E.M. | Part Number | Brake Lathe | |
| Ammco | 40610 | | |
| CB6914-10 | Negative Rake Carbide Bit .030 Radius (10 Pack) | | |
| O.E.M. | Part Number | Brake Lathe | |
| Ammco | 691410 | 1000 • 2002 • 3000 • 4100 | |
| | | 7000 • 7500 • 7700 | |
| CB90488 | Positive Rake Carbide Bit .20 Radius 15° Angle (10 Pack) | | |
| O.E.M. | Part Number | Brake Lathe | |
| FMC/John Bean | 90488 | 600 • 700 Series | |
| CB433796 | Positive Rake Carbide Bit 11° Angle • 1/64" Radius (10 Pack) | | |
| O.E.M. | Part Number | Brake Lathe | |
| Accuturn | 433796 | 7700 • 8910 • 8911 • 8920 | |
| | | 8922 • 8944 • 8989 | |



Tool Holders

| | | | |
|--------------------|------------------------------------------------------------------------|-------------------------|--|
| BH69L&R | Positive Rake Left And Right Hand Toolholder Set For Round Bits | | |
| | Must Use With CB69 Round Carbide Bits | | |
| O.E.M. | Part Number | Brake Lathe | |
| Ammco | 40630 | | |
| BH10701 | Negative Rake Right Hand Toolholder | | |
| O.E.M. | Part Number | Brake Lathe | |
| Ammco | 10701 | 3000 • 4000 • 4100 | |
| | | 7000 • 6950 Twin Cutter | |
| BH10702 | Negative Rake Left Hand Toolholder | | |
| O.E.M. | Part Number | Brake Lathe | |
| Ammco | 10702 | 3000 • 4000 • 4100 | |
| | | 7000 • 6950 Twin Cutter | |



Brake Lathe Accessories

| | | | |
|---------------|-----------------------------------------------------------|---------------------------|--|
| SB3085 | Spindle Protective Boot | | |
| O.E.M. | Part Number | Brake Lathe | |
| Ammco | 3085 | 3000 • 4000 | |
| | | 4100 • 7700 | |
| KB6854 | Red 3 Arm Knob | | |
| O.E.M. | Part Number | Brake Lathe | |
| Ammco | 6854 | 3000 • 3850 • 4000 • 4100 | |
| | | 7000 • 7500 • 7700 | |
| SG7996 | Shear Gear And C Clip For Ammco Brake Lathes | | |
| O.E.M. | Part Number | Brake Lathe | |
| Ammco | 7996 | 3000 • 4000 • 4100 | |
| | | 7500 • 7700 | |
| BS1 | Economy 1 3/4" Drum Silencer Band - Length - 5' 8" | | |
| O.E.M. | Part Number | Brake Lathe | |
| Hunter | 175-186-2 | | |
| BS10 | Adjustable Ventilated Rotor Silencer Band | | |
| O.E.M. | Part Number | Brake Lathe | |
| Ammco | 6920 | | |
| Hunter | 175-188-2 | | |
| Ammco | 5280 | | |
| CS1 | Clip On Silencer | | |
| O.E.M. | Part Number | Brake Lathe | |
| Ammco | 1175, 1180 | | |



Add Service Parts To Your Growth Potential

